CONTENTS

British Volume, 85-B, 2003

Editorials

The National Joint Registry for England and Wales 1
F. Horan

Changes in the Journal 2
F. Horan

Editorial succession at the *JBJS* 781
M. K. D. Benson

Review articles

The management of partial-thickness tears of the rotator cuff 3
H. Fukuda

Musculoskeletal aspects of cerebral palsy 157
H. Kerr Graham, P. Selber

Spontaneous anterior interosseous nerve palsy 313
Akira Nagano

Dupuytren's disease 469
Alan J. Thurston

Diagnosing acute compartment syndrome 625
K. G. B. Elliott, A. J. Johnstone

Current concepts of gene therapy and cartilage repair 782
V. Martinek, P. Ueblacker, A. B. Imhoff

Medial compartment arthroplasty of the knee 937
C. E. Ackroyd

Health economics and the orthopaedic surgeon 1093
P. Haentjens, L. Annemans

Aspects of current management

Complications of arthroscopic reconstruction of the anterior cruciate ligament 12
Robin Allum

The management of club foot: issues for debate 167
M. F. Macnicol

Computer-assisted orthopaedic surgery: Do we need CAOS? 319
J. M. Sikorski, S. Chauhan

Surgical priorities in damage control in polytrauma 478
P. V. Giannoudis

The physiology of the disc and its clinical relevance 633
S. Eisenstein, S. Roberts

The role of surgery in frozen shoulder 789
A. F. W. Chambler, A. J. Carr

The effects of botulinum toxin (BTX-A) on spasticity of the lower limb and on gait in cerebral palsy 943
R. A. Preiss, D. N. Condie, D. I. Rowley, H. K. Graham

Complex regional pain syndrome 1100
R. M. Atkins

Annotation

The 'French paradox' 17
F. Langlais, M. Kerboull, L. Sedel, R. S. M. Ling

Can we improve the results of revision arthroplasty for infected total hip replacement? 637
F. Langlais

Scientific articles

Surgical reconstruction of late pelvic post-traumatic nonunion and malalignment 21
D. C. Mears, J. Velyvis

The relationship between cup design and the radiological signs of aseptic loosening in total hip arthroplasty 31
U. Müller, E. Gautier, C. Roeder, A. Busato

The validity of clinical examination in the diagnosis of loosening of components in total hip arthroplasty 37
C. Röder , S. Eggli, M. Aebi, A. Busato

Should the cement mantle around the femoral component be thick or thin? 45
J. A. Skinner, S. Todo, M. Taylor, J. S. Wang, V. Pinskerova, G. Scott

Patient demographics as a predictor of the ten-year survival rate in primary total knee replacement 52
G. Vazquez-Vela Johnson, R. L. Worland, J. Keenan, N. Norambuena

Arthrodesis of the knee using a custom-made intramedullary coupled device 57
S. P. White, A. J. Porteous, J. H. Newman, W. Mintowt-Czyz, V. Barr

A mobile-bearing total knee prosthesis compared with a fixed-bearing prosthesis 62
A. J. Price, J. L. Rees, D. Beard, E. Juszczak, S. Carter, S. White, R. de Steiger, C. A. F. Dodd, M. Gibbons, P. McLardy-Smith, J. W. Goodfellow, D. W. Murray

Minimal internal fixation and calcium-phosphate cement in the treatment of fractures of the tibial plateau 68
J. F. Keating, C. L. Hajducka, J. Harper

Use of the Coventry infant hip screw in the treatment of nonunion of fractures of the distal humerus 74
R. B. Simonis, V. A. Nuñez, A. Khaleel

Aberdeen Colles' fracture brace as a treatment for Colles' fracture 78
N. Tumia, D. Wardlaw, J. Hallett, R. Deutman, S. A. Mattsson, B. Sandén

Leakage of cement in percutaneous transpedicular vertebroplasty for painful osteoporotic compression fractures 83
J. S. Yeom, W. J. Kim, W. S. Choy, C. K. Lee, B. S. Chang, J. W. Kang

Intraoperative pulmonary embolism during spinal instrumentation surgery 90
S. Takahashi, H. Kitagawa, T. Ishii

The knee-spine syndrome 95
Y. Murata, K. Takahashi, M. Yamagata, E. Hanaoka, H. Moriya

Role of posterior stabilisation in the management of tuberculosis of the dorsal and lumbar spine 100
G. D. Sundararaj, S. Behera, V. Ravi, K. Venkatesh, V. M. Cherian, V. Lee

Local and systemic control in Ewing's sarcoma of the femur treated with chemotherapy, and locally by radiotherapy and/or surgery 107
G. Bacci, S. Ferrari, A. Longhi, M. Versari, C. Forni, D. Donati, M. Manfrini, P. Trentani, E. Barbieri

Ultrasonographic imaging of fractures of the clavicle in newborn infants 115
R. Kayser, K. Mahlfeld, C. Heyde, H. Grasshoff

Ultrasound in the management of the position of the femoral head during treatment in a spica cast after reduction of hip dislocation in developmental dysplasia of the hip 117
F. Q. M. P. van Douveren, H. E. H. Pruijs, R. J. B. Sakkers, R. A. J. Nievelstein, F. J. A. Beek

Delayed ossification of the proximal capital femoral epiphysis in Legg-Calvé-Perthes' disease 121
H. Kitoh, T. Kitakoji, M. Katoh, Y. Takamine

Turn-up bone flap for lengthening the below-knee amputation stump 171
R. Pant, D. Younge

Reduction of blood loss using high-dose aprotinin in major orthopaedic surgery 174
R. Jeserschek, H. Clar, C. Aigner, P. Rehak, B. Primus, R. Windhager

Effect of smoking on early complications after elective orthopaedic surgery 178
A. M. Møller, T. Pedersen, N. Villebro, A. Munksgaard

Failure of an uncemented non-porous metal-backed prosthesis with augmentation using impacted allograft for acetabular revision 182
M. Jeffery, G. Scott, M. Freeman

Relationship between outcome and annual surgical experience for the Charnley total hip replacement 187
D. Fender, J. H. P. van der Meulen, P. J. Gregg

Pedicle bone grafting *versus* transtrochanteric rotational osteotomy for avascular necrosis of the femoral head 191
Y. Hasegawa, S. Sakano, T. Iwase, S. Iwasada, S. Torii, H. Iwata

Trochanteric reduction osteotomy as a treatment for refractory trochanteric bursitis 199
L. H. M. Govaert, H. M. van der Vis, R. K. Marti, G. H. R. Albers

Comparison of the surgical approaches for a Chiari pelvic osteotomy 204
H. Ito, T. Matsuno, A. Minami

A ten- to 15-year follow-up of the Cementless Spotorno stem 209
P. R. Aldinger, S. J. Breusch, M. Lukoschek, H. Mau, V. Ewerbeck, M. Thomsen

The use of a closed-suction drain in total knee arthroplasty 215
C. N. A. Esler, C. Blakeway, N. J. Fiddian

The effect of knee flexion on the popliteal artery and its surgical significance 218
A. A. Shetty, A. J. Tindall, F. Qureshi, M. Divekar, K. W. K. Fernando

A prospective, randomised comparison of autologous chondrocyte implantation *versus* mosaicplasty for osteochondral defects in the knee 223
G. Bentley, L. C. Biant, R. W. J. Carrington, M. Akmal, A. Goldberg, A. M. Williams, J. A. Skinner, J. Pringle

Bone mineral density in long-term survivors of highly malignant osteosarcoma 231
G. Holzer, P. Krepler, M. A. Koschat, S. Grampp, M. Dominkus, R. Kotz

Painful soft-tissue reaction to injectable Norian SRS calcium phosphate cement after curettage of enchondromas 238
H. Welkerling, J. Raith, N. Kastner, C. Marschall, R. Windhager

The results of endoprosthetic replacement for tumours of the distal humerus 240
A. Kulkarni, F. Fiorenza, R. J. Grimer, S. R. Carter, R. M. Tillman

Clinical outcome and return to sport after the surgical treatment of spondylolysis in young athletes 244
U. K. Debnath, B. J. C. Freeman, P. Gregory, D. de la Harpe, R. W. Kerslake, J. K. Webb

Nerve-root injections for the relief of pain in patients with osteoporotic vertebral fractures 250
D.-J. Kim, Y.-H. Yun, J.-M. Wang

Acute correction of lower limb deformity and simultaneous lengthening with a monolateral fixator 254
L. T. Donnan, M. Saleh, A. S. Rigby

Quadricepsplasty for knee stiffness after femoral lengthening in congenital short femur 261
H. S. Hosalkar, S. Jones, M. Chowdhury, J. Hartley, R. A. Hill

Femoral derotation osteotomy in spastic diplegia 265
M. Pirpiris, A. Trivett, R. Baker, J. Rodda, G. R. Nattrass, H. K. Graham

Diagnosis of a tear of the tibiofibular syndesmosis 324
M. Takao, M. Ochi, K. Oae, K. Naito, Y. Uchio

Synovial impingement in the ankle 330
S. Molloy, M. C. Solan, S. P. Bendall

Total ankle replacement 334
P. L. R. Wood, S. Deakin

The treatment of recurrent posterolateral instability of the elbow 342
B. S. Olsen, J. O. Søjbjerg

Treatment of primary degenerative arthritis of the elbow by ulnohumeral arthroplasty 347
N. J. Phillips, A. Ali, D. Stanley

Early results of the Souter-Strathclyde unlinked total elbow arthroplasty in patients with osteoarthritis 351
M. P. Espag, D. L. Back, D. I. Clark, P. G. Lunn

Total elbow replacement using the Kudo prosthesis 354
D. Potter, P. Claydon, D. Stanley

Radiographic observation of the scaphoid shift test 358
Min Jong Park

Strain on the human sciatic nerve in vivo during movement of the hip and knee 363
P. Fleming, B. Lenehan, S. O'Rourke, P. McHugh, K. Kaar, J. P. McCabe

A femoral component with proximal HA coating 366
J. A. Skinner, P. O. Kroon, S. Todo, G. Scott

Hyperbaric oxygen therapy as a treatment for stage-I avascular necrosis of the femoral head 371
N. D. Reis, O. Schwartz, D. Militianu, Y. Ramon, D. Levin, D. Norman, Y. Melamed, A. Shupak, D. Goldsher, C. Zinman

Wear of enhanced ultra-high molecular-weight polyethylene (Hylamer) in combination with a 22.225 mm diameter zirconia femoral head 376
B. M. Wroblewski, P. D. Siney, P. A. Fleming

Internal fixation compared with total hip replacement for displaced femoral neck fractures in the elderly 380
J. Tidermark, S. Ponzer, O. Svensson, A. Söderqvist, H. Törnkvist

The role of the posterior cruciate ligament in total knee replacement 389
A. N. Misra, M. R. A. Hussain, N. J. Fiddian, G. Newton

Role of abrasion of the femoral component in revision knee arthroplasty 393
M. S. Siddique, M. C. Rao, D. J. Deehan, I. M. Pinder

Vascular malformations of the lower limb with osseous involvement 399
C. C. Breugem, M. Maas, S. J. M. Breugem, G. R. Schaap, C. M. A. M. van der Horst

The relationship between the strength of supination of the forearm and rotation of the shoulder 406
N. Savva, C. J. P. McAllen, G. E. B. Giddins

Impingement syndrome associated with whiplash injury 408
S. K. Chauhan, T. Peckham, R. Turner

Iliosacral screw fixation of the posterior pelvic ring using local anaesthesia and computerised tomography 411
B. H. Ziran, W. R. Smith, J. Towers, S. J. Morgan

Rehabilitation after two-part fractures of the neck of the humerus 419
S. A. Hodgson, S. J. Mawson, D. Stanley

Peripheral bone mineral density in patients with distal radial fractures 423
C. A. Wigderowitz, T. Cunningham, D. I. Rowley, P. A. Mole, C. R. Paterson

Fixation of fractures of the femoral neck 426
N. Lykke, P. J. Lerud, K. Strømsøe, K.-G. Thorngren

A strategy for reducing blood-transfusion requirements in elective orthopaedic surgery 484
A. T. Helm, M. T. Karski, S. J. Parsons, J. S. Sampath, R. S. Bale

Body-exhaust suit *versus* occlusive clothing 490
J. Der Tavitian, S. M. Ong, N. A. Taub, G. J. S. Taylor

Patient *versus* surgeon satisfaction after total hip arthroplasty 495
R. B. G. Brokelman, C. J. M. van Loon, W. J. Rijnberg

Degradation of hydroxyapatite coating on a well-functioning femoral component 499
N. Aebli, J. Krebs, D. Schwenke, H. Stich, P. Schawalder, J.-C. Theis

Zirconia and alumina ceramics in comparison with stainless-steel heads 504
P. Hernigou, T. Bahrami

Trochanteric slide osteotomy in revision total hip arthroplasty for loosening 510
F. Langlais, J. C. Lambotte, Ph. Collin, F. Langlois, J. W. Fontaine, H. Thomazeau

The results of revision knee arthroplasty with and without retention of secure cemented femoral components 517
D. C. Mackay, M. S. Siddique

Outcome after reconstruction of the anterior cruciate ligament in athletic patients 521
A. A. S. Meighan, J. F. Keating, E. Will

Operative and functional treatment of rupture of the lateral ligament of the ankle 525
A. C. M. Pijnenburg, K. Bogaard, R. Krips, R. K. Marti, P. M. M. Bossuyt, C. N. van Dijk

The influence of early ambulation and other factors on headache after lumbar myelography 531
Y. Murata, M. Yamagata, S. Ogata, K. Shimizu, Y. Ikeda, J. Hirayama, H. Yamada

Survival analysis is a better estimate of recurrent disc herniation 535
P. Gaston, R. W. Marshall

Variation in the position and orientation of the elbow flexion axis 538
A. Ericson, A. Arndt, A. Stark, P. Wretenberg, A. Lundberg

Os acromiale associated with tear of the rotator cuff treated operatively 545
T. D. Boehm, M. Matzer, D. Brazda, F. E. Gohlke

Open treatment of anterior impingement of the ankle 550
R. Coull, T. Raffiq, L. E. James, M. M. Stephens

Orthotopic and heterotopic lower leg reimplantation 554
A. Daigeler, H. Fansa, W. Schneider

Primary subacute epiphyseal and metaepiphyseal osteomyelitis in children 559
A. Hempfing, R. Placzek, T. Göttsche, A. L. Meiss

Relapsed infantile Blount's disease treated by hemiplateau elevation using the Ilizarov frame 565
S. Jones, H. S. Hosalkar, R. A. Hill, J. Hartley

Dynamic foot movement in children treated for congenital talipes equinovarus 572
T. N. Theologis, M. E. Harrington, N. Thompson, M. K. D. Benson

Linear sebaceous naevus syndrome and resistant rickets 578
H. S. Hosalkar, D. H. Jones, A. Offiah, C. Hall

Cementless total hip arthroplasty in patients older than 80 years of age 641
H. Pieringer, G. Labek, V. Auersperg, N. Böhler

The pharmacokinetics of Simplex-tobramycin bone cement 646
G. J. Sterling, S. Crawford, J. H. Potter, G. Koerbin, R. Crawford

Dislocation after total hip replacement in relation to metal-on-metal bearing surfaces 650
M. T. Clarke, P. T. H. Lee, R. N. Villar

Effect of alumina femoral heads on polyethylene wear in cemented total hip arthroplasty 655
K. Tanaka, J. Tamura, K. Kawanabe, M. Shimizu, T. Nakamura

Incidence and natural history of deep-vein thrombosis after total hip arthroplasty 661
Young-Hoo Kim, S.-H. Oh, J.-S. Kim

Arthrodesis of the shoulder after septic arthritis 666
M. Wick, E. J. Müller, T. Ambacher, U. Hebler, G. Muhr, F. Kutscha-Lissberg

Posterior cruciate ligament at total knee replacement 671
R. Straw, S. Kulkarni, S. Attfield, T. J. Wilton

Secondary resurfacing of the patella for persistent anterior knee pain after primary knee arthroplasty 675
H. E. Muoneke, A. M. Khan, K. A. Giannikas, E. Hägglund, T. H. Dunningham

Oxidative stress in bilateral total knee replacement, under ischaemic tourniquet 679
Y.-J. Cheng, C.-T. Chien, C.-F. Chen

The management of brachymetatarsia 683
H. T. Kim, S. H. Lee, C. I. Yoo, J. H. Kang, J. T. Suh

Outcome of complex fractures of the tibial plateau treated with a beam-loading ring fixation system 691
A. M. Ali, M. Burton, M. Hashmi, M. Saleh

Heterotopic ossification prophylaxis with indomethacin increases the risk of long-bone nonunion 700
T. A. Burd, M. S. Hughes, J. O. Anglen

Development and testing of a reduced WOMAC function scale 706
S. L. Whitehouse, E. A. Lingard, J. N. Katz, I. D. Learmonth

Acrylic cement added with antiblastics in the treatment of bone metastases 712
M. A. Rosa, G. Maccauro, A. Sgambato, R. Ardito, G. Falcone, V. De Santis, F. Muratori

Endoprosthetic replacement of the proximal humerus 717
D. Kumar, R. J. Grimer, A. Abudu, S. R. Carter, R. M. Tillman

Intramuscular neurilemoma 723
B. C. Kwon, G. H. Baek, M. S. Chung, S. H. Lee, H.-S. Kim, J. H. Oh

Ultrasonographic screening for developmental dysplasia of the hip in infants 726
E. A. Roovers, M. M. Boere-Boonekamp, T. S. A. Geertsma, G. A. Zielhuis, A. H. M. Kerkhoff

Mid-term prognosis of non-traumatic osteonecrosis of the femoral head 796
H. Ito, T. Matsuno, N. Omizu, Y. Aoki, A. Minami

Reconstruction for chronic dislocation of the hip 802
H. Hamilton, T. Fung, P. Rapley

Femoral impaction grafting with cement in revision total hip replacement 809
B. R. Halliday, H. W. English, A. J. Timperley, G. A. Gie, R. S. M. Ling

Hip arthroplasty in patients with cirrhosis of the liver 818
P.-H. Hsieh, L.-H. Chen, M.-S. Lee, C.-H. Chen, W.-E. Yang, C.-H. Shih

3M integral bipolar cup system for dysplastic osteoarthritis 822
T. Torisu, N. Kaku, H. Tumura, H. Taira, K. Tomari

Anterior acetabular head index of the hip on false-profile views 826
E. Chosa, N. Tajima

Positioning of total knee arthroplasty with and without navigation support 830
M. Sparmann, B. Wolke, H. Czupalla, D. Banzer, A. Zink

Long-term results of patellofemoral arthroplasty 836
H. J. Kooijman, A. P. P. M. Driessen, J. R. van Horn

Outcome of calf deep-vein thrombosis after total knee arthroplasty 841
C.-J. Wang, J.-W. Wang, L.-H. Weng, C.-C. Hsu, C.-F. Lo

Ligament repair and reconstruction in traumatic dislocation of the knee 845
R. Y. L. Liow, M. J. McNicholas, J. F. Keating, R. W. Nutton

Extracorporeal shock-wave treatment for tennis elbow 852
E. Y. Melikyan, E. Shahin, J. Miles, L. C. Bainbridge

Biomechanical effects of dissecting flexor carpi ulnaris 856
M. Kreulen, M. J. C. Smeulders, J. J. Hage, P. A. Huijing

The rhomboid flap: a simple technique to cover the skin defect produced by excision of a mucous cyst of a digit 860
D. Imran, C. Koukkou, L. C. Bainbridge

Carpal tunnel release 863
K. C. Wong, L. K. Hung, P. C. Ho, J. M. W. Wong

Direct access carpal tunnel surgery 869
M. E. D. Jarrett, G. E. B. Giddins

Primary and revision lumbar discectomy 871
C. V. J. Morgan-Hough, P. W. Jones, S. M. Eisenstein

Traumatic dislocation of the atlanto-occipital joint 875
S. Govender, G. J. Vlok, N. Fisher-Jeffes, C. P. Du Preez

The pathogenesis of Schmorl's nodes 879
B. Peng, W. Wu, S. Hou, W. Shang, X. Wang, Y. Yang

Spontaneous tendon ruptures in alkaptonuria 883
R. V. Manoj Kumar, S. Rajasekaran

Reconstruction of the medial patellofemoral ligament for the treatment of habitual or recurrent dislocation of the patella in children 887
M. Deie, M. Ochi, Y. Sumen, M. Yasumoto, K. Kobayashi, H. Kimura

Cavernous lymphangioma of the leg in children treated by the injection of OK-432 after resection 891
D. Kobayashi, H. Kumagai, S. Satsuma

Removal of well-fixed, cementless, acetabular components in revision hip arthroplasty 949
P. A. Mitchell, B. A. Masri, D. S. Garbuz, N. V. Greidanus, D. Wilson, C. P. Duncan

Painful nonunion after triple pelvic osteotomy 953
C. Tschauner, A. Sylkin, S. Hofmann, R. Graf

Infection after total hip arthroplasty 956
A. W. Blom, A. H. Taylor, G. Pattison, S. Whitehouse, G. C. Bannister

Venous leg ulcers after hip replacement 960
J. S. Mehta, N. Nicolaou, S. Kiryluk, M. J. F. Fordyce

Factors which affect the progression of osteoarthritis after rotational acetabular osteotomy 963
H. Koga, M. Matsubara, K. Suzuki, S. Morita, T. Muneta

Survival analysis of hips treated with flexion osteotomy for femoral head necrosis 969
W. Drescher, M. Fürst, H. J. Hahne, A. Helfenstein, W. Petersen, J. Hassenpflug

Influence of pre-operative bone mineral content of the proximal tibia on revision rate after uncemented knee arthroplasty 975
M. Therbo, M. M. Petersen, J.-E. Varmarken, C. A. Olsen, B. Lund

Radiographic measurement of joint space height in non-osteoarthritic tibiofemoral joints 980
K. Deep, M. Norris, C. Smart, C. Senior

The natural history of spontaneous osteonecrosis of the medial tibial plateau 983
K. Satku, V. P. Kumar, S. M. Chong, A. Thambyah

Arthroscopic treatment of osteochondral lesions of the talus 989
D. E. Robinson, I. G. Winson, W. J. Harries, A. J. Kelly

Quality of life 20 years after arthrodesis of the ankle 994
S. Fuchs, C. Sandmann, A. Skwara, C. Chylarecki

The role of MRI and ultrasound imaging in Morton's neuroma and the effect of size of lesion on symptoms 999
R. J. Sharp, C. M. Wade, M. S. Hennessy, T. S. Saxby

Laxity of the elbow after experimental excision of the radial head and division of the medial collateral ligament 1006
S. L. Jensen, S. R. Deutch, B. S. Olsen, J. O. Søjbjerg, O. Sneppen

Arthroscopic synovectomy of the wrist in rheumatoid arthritis 1011
M. J. Park, J. H. Ahn, J. S. Kang

Percutaneous arthrodesis of small joints in the hand 1016
K. Mader, T. Gausepohl, B. Wolfgarten, D. Pennig

Cage *versus* tricortical graft for cervical interbody fusion 1019
A. A. Siddiqui, A. Jackowski

Relative anterior spinal overgrowth in adolescent idiopathic scoliosis 1026
X. Guo, W.-W. Chau, Y.-L. Chan, J. C.-Y. Cheng

Pre-donated autologous blood transfusion in scoliosis surgery 1032
S. Ridgeway, C. Tai, P. Alton, P. Barnardo, D. J. Harrison

Hip fracture in the immobile patient 1037
D. Hay, M. J. Parker

Open reduction and internal fixation of comminuted fractures of the radial head using low-profile mini-plates 1040
M. Ikeda, Y. Yamashina, M. Kamimoto, Y. Oka

A population-based study of surgery for spinal metastases 1045
J. A. Finkelstein, G. Zaveri, E. Wai, M. Vidmar, H. Kreder, E. Chow

Incidence of clostridial contamination in donors' musculoskeletal tissue 1051
T. I. Malinin, B. E. Buck, H. T. Temple, O. V. Martinez, W. P. Fox

The influence of immediate surgical treatment of proximal femoral fractures on mortality and quality of life 1107
R. Dorotka, H. Schoechtner, W. Buchinger

Acetabular revision in total hip replacement with a press-fit cup 1114
R. Elke, B. Berli, A. Wagner, E. W. Morscher

The extensile rectus snip exposure in revision of total knee arthroplasty 1120
R. M. D. Meek, N. V. Greidanus, R. W. McGraw, B. A. Masri

Fixation of a hydroxyapatite-tricalcium phosphate-coated cementless knee prosthesis 1123
S. Akizuki, T. Takizawa, H. Horiuchi

A modified system of stress radiography for patellofemoral instability 1128
N. Fukui, T. Nakagawa, S. Murakami, H. Hiraoka, K. Nakamura

The peroneus quartus muscle 1134
J. Zammit, D. Singh

Arthroplasty of the elbow in haemophilia 1138
P. J. Chapman-Sheath, P. Giangrande, A. J. Carr

Levator scapulae and rhomboid transfer for paralysis of trapezius 1141
J. Romero, C. Gerber

Surgical treatment of lumbar disc herniation in elderly patients 1146
K. Fujii, T. Henmi, Y. Kanematsu, T. Mishiro, T. Sakai

High-sensitivity analysis of serum C-reactive protein in young patients with lumbar disc herniation 1151
K. Sugimori, Y. Kawaguchi, M. Morita, I. Kitajima, T. Kimura

Separate vertical wiring for the fixation of comminuted fractures of the inferior pole of the patella 1155
K. H. Yang, Y. S. Byun

Surgical treatment of symptomatic osteochondroma 1161
F. Bottner, R. Rodl, I. Kordish, W. Winklemann, G. Gosheger, N. Lindner

Outcome after later combined brachial plexus and shoulder surgery after birth trauma 1166
J. A. I. Grossman, A. E. Price, M. A. Tidwell, L. E. Ramos, I. Alfonso, I. Yaylali

Closed reduction and percutaneous fixation of supracondylar fracture of the humerus and ipsilateral fracture of the forearm in children 1169
A. Y. Tabak, L. Çelebi, H. H. Murath, M. F. Yagmurlu, C. N. Aktekin, A. Biçimoglu

Closed reduction of developmental dislocation of the hip by prolonged traction 1173
N. Yamada, S. Maeda, G. Fujii, A. Kita, K. Funayama, S. Kokubun

Case reports

Complete remodelling of displaced fractures of the neck of the phalanx 273
W. L. Hennrikus, M. R. Cohen

Bilateral aseptic necrosis of the outer end of the clavicle 275
A. Nehme, S. Bone, A. Gomez-Brouchet, J.-L. Tricoire, P. Chiron, J. Puget

Malignant necrotising streptococcal myositis: a rare and fatal condition 277
K. N. Subramanian, K. S. Lam

Internal fixation after intra-articular fracture of the distal ulna 279
M. C. Solan, R. Rees, S. Molloy, M. T. Proctor

Extra-articular extrusion of an osteochondral fragment of the talar dome 431
D. Herscovici Jr, A. F. Infante Jr, J. M. Scaduto

An unusual Monteggia type-I equivalent fracture in a child 584
A. A. Faundez, D. Ceroni, A. Kaelin

Instability after total knee replacement with a mobile-bearing prosthesis in a patient with multiple sclerosis 731
V. Rao, J. P. G. Targett

Histoplasmosis as the cause of a pathological fracture 732
N. A. Quraishi, R. N. Davidson, N. Steele, F. Grand

***Candida* septic arthritis of the hip in a young patient without predisposing factors** 734
K. Kawanabe, H. Hayashi, M. Miyamoto, J. Tamura, M. Shimizu, T. Nakamura

Pencil-core granuloma of the distal radio-ulnar joint: an unusual presentation as soft-tissue sarcoma after 45 years 736
A. Kulkarni, D. C. Mangham, A. M. Davies, R. J. Grimer, S. R. Carter, R. M. Tillman

Primary obturator pyomyositis: a diagnostic challenge 895
R. J. King, D. Laugharne, R. W. Kerslake, B. J. Holdsworth

Non-operative management of a peri-prosthetic subcapital fracture after metal-on-metal Birmingham hip resurfacing 1055
D. Cumming, M. J. F. Fordyce

Intrapelvic dislocation of the head of femur through the obturator foramen associated with ipsilateral fracture femur 1056
A. W. Farag, K. A. Shohayeb

Compression of the sciatic nerve by wear debris following total hip replacement: a report of three cases 1178
J. R. Crawford, L. Van Rensburg, C. Marx

Research reports

Small volume hypertonic hydroxyethyl starch reduces acute microvascular dysfunction after closed soft-tissue trauma 126
T. Mittlmeier, B. Vollmar, M. D. Menger, L. Schewior, M. Raschke, K.-D. Schaser

Microvascular response of striated muscle to metal debris 133
C. N. Kraft, O. Diedrich, B. Burian, O. Schmitt, M. A. Wimmer

Cell-mediated bioresorption of sintered carbonate apatite in rabbits 142
M. Hasegawa, Y. Doi, A. Uchida

Reconstruction of a defect of the rotator cuff with polytetrafluoroethylene felt graft 282
A. Kimura, M. Aoki, S. Fukushima, S. Ishii, K. Yamakoshi

Role of cyclical pressure and particles in the release of M-CSF, chemokines, and PGE_2 and their role in loosening of implants 288
K. Sampathkumar, M. Jeyam, C. E. Evans, J. G. Andrew

The role of the popliteofibular ligament and the tendon of popliteus in providing stability in the human knee 292
C. Pasque, F. R. Noyes, M. Gibbons, M. Levy, E. Grood

Involvement of the subacromial bursa in impingement syndrome of the shoulder as judged by expression of tenascin-C and histopathology 299
P. Hyvönen, J. Melkko, V. P. Lehto, P. Jalovaara

Contamination during removal of cement in revision hip arthroplasty 436
M. Nogler, C. Lass-Flörl, C. Wimmer, E. Mayr, C. Bach, M. Ogon

Tissue reactions adjacent to well-fixed hydroxyapatite-coated acetabular cups 440
M. Røkkum, A. Reigstad, C. B. Johansson, T. Albrektsson

Regulation of expression of α-smooth muscle actin in cells of Dupuytren's contracture 448
H. B. Hindman, R. Marty-Roix, J-B. Tang, J. B. Jupiter, B. P. Simmons, M. Spector

Doxycycline inhibits bone resorption by human interface membrane cells from aseptically loose hip replacements 456
S. M. Ong, G. J. S. Taylor

Electromagnetic augmentation of antibiotic efficacy in infection of orthopaedic implants 588
S. A. W. Pickering, R. Bayston, B. E. Scammell

Mechanical factors in the initiation and propagation of tears of the rotator cuff 594
P. Reilly, A. A. Amis, A. L. Wallace, R. J. H. Emery

Dorsal root ganglion neurones with dichotomising afferent fibres to both the lumbar disc and the groin skin 600
H. Sameda, Y. Takahashi, K. Takahashi, T. Chiba, S. Ohtori, H. Moriya

Vascularity in a new model of atrophic nonunion 604
A. A. C. Reed, C. J. Joyner, S. Isefuku, H. C. Brownlow, A. H. R. W. Simpson

The cortical thickness of the proximal humeral diaphysis predicts bone mineral density of the proximal humerus 611
M. J. Tingart, M. Apreleva, D. von Stechow, D. Zurakowski, J. J. Warner

Tissue-engineered cartilage and bone using stem cells from human infrapatellar fat pads 740
J. L. Dragoo, B. Samimi, M. Zhu, S. L. Hame, B. J. Thomas, J. R. Lieberman, M. H. Hedrick, P. Benhaim

Influence of peg design and cement mantle thickness on pull-out strength of glenoid component pegs 748
R. W. Nyffeler, C. Anglin, R. Sheikh, C. Gerber

The origin of cells that repopulate patellar tendons used for reconstructing anterior cruciate ligaments in man 753
B.-H. Min, M.-S. Han, J. I. Woo, H.-J. Park, S. R. Park

Immunological changes in patients with primary osteoarthritis of the hip after total joint replacement 758
D. Granchi, L. Savarino, G. Ciapetti, E. Cenni, R. Rotini, M. Mieti, N. Baldini, A. Giunti

The meniscofemoral ligaments: secondary restraints to the posterior drawer 765
C. M. Gupte, A. M. J. Bull, R. D. Thomas, A. A. Amis

Cement particles containing radio-opacifiers stimulate pro-osteolytic cytokine production from a human monocytic cell line 900
D. L. Shardlow, M. H. Stone, E. Ingham, J. Fisher

Changes in the three-dimensional microstructure of human tibial cancellous bone in early osteoarthritis 906
M. Ding, A. Odgaard, I. Hvid

Levels of metal ions after small- and large-diameter metal-on-metal hip arthroplasty 913
M. T. Clarke, P. T. H. Lee, A. Arora, R. N. Villar

Intracellular *Staphylococcus aureus* 918
J. K. Ellington, M. Harris, L. Webb, B. Smith, T. Smith, K. Tan, M. Hudson

Partial hemiarthroplasty for the treatment of osteonecrosis of the femoral head 922
K. Ushio, M. Oka, S.-H. Hyon, S. Yura, J. Toguchida, T. Nakamura

Prospective clinical study of autologous chondrocyte implantation and correlation with MRI at three and 12 months 1060
I. J. P. Henderson, B. Tuy, D. Connell, B. Oakes, W. H. Hettwer

Joint homeostasis 1067
D. B. F. Saris, W. J. A. Dhert, A. J. Verbout

Histological evaluation of chondral defects after autologous chondrocyte implantation of the knee 1077
T. W. R. Briggs, S. Mahroof, L. A. David, J. Flannelly, J. Pringle, M. Bayliss

Acid-etched microtexture for enhancement of bone growth into porous-coated implants 1182
S. A. Hacking, E. J. Harvey, M. Tanzer, J. J. Krygier, J. D. Bobyn

Expression of CCAAT/enhancer-binding protein-beta (C/EBP_β) and CHOP in the murine growth plate 1190
A. Martos-Rodríguez, I. Santos-Alvarez, V. Campo-Ruíz, S. González, J. P. García-Ruiz, E. Delgado-Baeza

Imbalance of RANKL/RANK/OPG system in interface tissue in loosening of total hip replacement 1196
J. Mandelin, T.-F. Li, M. Liljeström, M. E. Kroon, R. Hanemaaijer, S. Santavirta, Y. T. Konttinen

Pro-inflammatory and anti-inflammatory circulating cytokines and periprosthetic osteolysis 1202
S. Fiorito, L. Magrini, C. Goalard

Correspondence

The Gotfried percutaneous compression plate compared with the conventional classic hip screw for the fixation of intertrochanteric fractures of the hip 148

Cardiac output during hemiarthroplasty of the hip 149

Tuberculosis of the thoracic spine 150

The timing of reduction and stabilisation of the acute, unstable slipped upper femoral epiphysis 306

Subtalar distraction bone block arthrodesis 306

Tendinopathy of tendo achillis 307

The effect of spinal fusion on the long-term outcome of idiopathic scoliosis 307

The floating shoulder: a multicentre study 308

Specificity of the Oxford knee status questionnaire 309

Early lesions of the labrum and acetabular cartilage in osteonecrosis of the femoral head 462

Management of completely displaced metaphyseal fractures of the distal radius in children 463

The provision of services for spinal disorders 463

Observer reliability in the arthroscopic classification of osteoarthritis of the knee 463

Simple treatment for torus fractures of the distal radius 464

A prospective, randomised trial of internal fixation versus arthroplasty for displaced fractures of the neck of the femur 464

The National Joint Registry for England and Wales 618

The natural history and treatment of rupture of the anterior cruciate ligament in children and adolescents 618

A randomised comparison of a foot pump and low-molecular-weight heparin in the prevention of deep-vein thrombosis after total knee replacement 619

Endoscopic *versus* open carpal tunnel release in bilateral carpal tunnel syndrome 620

Arthroplasty of the hip 620

Extracorporeal shock-wave therapy for tendonitis of the rotator cuff 774

Arthroplasty of the hip – leg length is not important 774

The role of angiography in the management of haemorrhage from major fractures of the pelvis 775

The type of cement and failure of total hip replacements 775

Intraneural mucoid pseudocysts: a report of ten cases 776

Management of chronic pain in whiplash injury 931

Extramedullary or intramedullary tibial alignment guides: a randomised, prospective trial of radiological alignment 932

Complications of arthroscopy of the knee 932

Deterioration of long-term clinical results after the Elmslie-Trillat procedure for dislocation of the patella 933

Management of completely displaced metaphyseal fractures of the distal radius in children 933

Extramedullary or intramedullary tibial alignment guides: a randomised, prospective trial of radiological alignment 1084

The Ionising Radiation (Medical Exposure) regulations (IRME) 2000 – radiological considerations 1084

The efficacy of the Pavlik harness, the Craig splint and the von Rosen splint in the management of neonatal dysplasia of the hip 1085

Correction of hammer toe with an extended release of the metatarsophalangeal joint 1086

The classification of congenital talipes equinovarus 1087

Minimal external fixation and calcium-phosphate cement in the treatment of fractures of the tibial plateau 1088

Pain related to the psoas muscle after total hip replacement 1207

A ten-to-15 year follow-up of the Cementless Spotorno stem 1207

The effect of knee flexion on the politeal artery and its surgical significance 1208

Impingement syndrome associated with whiplash injury 1208

The provision of services for spinal disorders 1209

Book reviews 151, 310, 466, 622, 778, 1089

Corrections 153, 465

Forthcoming meetings and courses 154, 312, 467, 623, 780, 935, 1091, 1210

2002 Reviewers 155

Author index 1211

Subject index 1223